



Amphibian A4 Pro Xtreme

Underwater Lighting Excellence

New Amphibian Pro Xtreme underwater LED lights are extremely bright, our brightest Amphibians ever, more than triple the brightness of the previous Amphibian Pro Series equivalents. The larger models (A8 Pro and A16 Pro) feature 'Colours' color-change; toggle between 8 different colors, strobe 8 different colors, or scroll between 8 different color scene variations.

Exceptionally easy to install on the transom or hull; use underwater to light up your wake and create incredible nighttime lighting effects, and the new strobe feature is ideal for attracting fish and bait.

Maintenance is easy due to its Tritonium™ coating (available on all OceanLED lights); just wipe away marine growth.

Built-in driver, ultra low power draw, no start-up current required, reverse polarity protection. Suitable for all types of hulls.

Amphibian Pro Xtreme Series lights are designed for underwater use on boats. For above water use choose Amphibian Xtreme models. Not intended for use as Dock Lighting; please see our Dock Light Series.

- 1/2" Hole in Hull
- Equal to Some 35W Xenons
- 12/24V DC
- 40,000+ Hour Life
- Chemically Resistant Polymer
- Twin Core Wire
- Factory Sealed Unit
- No Breakable Parts
- 316L Stainless Steel Bezel

Tritonium™
Optical Technology




NEW!

OceanLED Marine
Amphibian Pro Xtreme Series

Underwater
A4Pro

Quick Specs

| | | | | | | | |
|------------------|---------------|-----------------------|---|----------------------------|--------------------------------|------------------|-----------------------------------|
| 40K HOURS | 12V DC | 1000 |  | ALL-IN-1 TECHNOLOGY | HIGHLY IMPACT RESISTANT | Tritonium | 316L Stainless Steel Bezel |
| LIFE SPAN | 24V DC | FIXTURE LUMENS | 60° BEAM | | | | |

| Description | Color | Part # | UPC/EAN # |
|--|--|------------|---------------|
| Amphibian A4 PRO Xtreme Ultra White LEDs |  Ultra White | 001-600192 | 5051803005070 |
| Amphibian A4 PRO Xtreme Midnight Blue LEDs |  Midnight Blue | 001-600193 | 5051803005087 |
| Amphibian A4 PRO Xtreme Sea Green LEDs |  Sea Green | 001-600194 | 5051803005094 |

| Mounting Recommendations | A4 Pro Xtreme |
|---|--------------------------------------|
| Boat size | up to 30' (9m) |
| Transom / Hull spacing | 2-3' (0.5-1m) |
| Transom quantity | 2-4 |
| Installation depth (to top of fixture) | 4-8" (10-20cm) |
| Technical | |
| Light output equivalent to | Some 35W Xenons |
| Fixture Lumens* (total light output from a finished fixture) | 1000 |
| Typical LED life expectancy | 40,000+ Hours |
| Minimum-Maximum operating voltage DC | 9-32V DC |
| Current / Amp draw (DC) | 12V DC 0.8A 24V DC 0.4A |
| Approx. light penetration (avg. water quality) | 20' (6m) |
| Approx. Light penetration (perfect water quality) | up to 45' (13+m) |
| Driver type | Internal |
| Physical | |
| Length of fixture | 5.25" (133.5mm) |
| Width of fixture | 2.77" (70.5mm) |
| Profile (height) of fixture | 0.76" (19.5mm) |
| Total weight | TBA |
| Extension cable length (standard) | 6' ² (2m) |
| Hole cut-out for cable entry | 1/2" (12mm) |
| Material | Chemically resistant optical polymer |
| Accessories | Part# |
| Black Polymer Bezel | 001-600211 |
| 4 Way V DC Power Junction Box | 001-500247 |
| Remote12 Wireless Remote Control Kit (Includes 1 FOB) (USA only). | 001-600160 |
| Remote12/24 Wireless Remote Control Kit (Includes 2 FOBs) (USA only). | 001-600161 |

*Fixture Lumens rating is a measurement of total light output from a finished lighting fixture. This measurement can only be obtained from either a Goniophotometer or an Integrating sphere. Fixture Lumens is the most reliable, professional measurement of light output. OceanLED has heavily invested in these measurement apparatus and has had all its data verified by the Lighting Association of Great Britain.

OceanLED Smart Light Technology

All OceanLED lights are factory sealed, essential for lighting components subjected to the corrosive marine environment.

Active Thermal Control

ATC is a continuous monitoring system built into all OceanLED lighting products to prevent overheating, thus improving LED performance and lumen maintenance. In the event the lights become overheated, the ATC system will reduce the LED power level in order to protect the LEDs, or in extreme cases, turn off the fixture completely. All OceanLED lighting products are tested to work continuously in an ambient temperature of 65° Centigrade / 150° Fahrenheit.



Grade A Electrical-Opto Performance

OceanLED utilizes the very latest optical methods to achieve the highest Lumen Per Watt efficacy ratings on all its products. Combining optical precision with Grade A Electrical components ensures maximum life cycles, minimal heat exposure, and flicker free operation and dimming.



OceanLED 3-Star Binning Promise

Millions of LEDs are produced every day, some better than others. LEDs are sorted or "Binned" according to their light output, emitted color, and electrical efficiency. OceanLED has developed its own unique Bin code to ensure the highest quality grade LEDs are selected, essential for the quality and consistency on which OceanLED prides itself, and the consumer expects.



EMC Tested
EN60945 compliant-2004/108/EC

© 2014 OceanLED LTD
All Rights Reserved

Specifications are subject to change without notice.

Trademarks are the property of OceanLED LTD



OceanLED LTD
Unit 1 Jacknell Road
Dodwells Bridge Industrial Estate
Hinckley,
Leicestershire LE10 3BS
United Kingdom
Tel: +44 (0) 1455 637505
Fax: +44 (0) 1455 238553
sales@oceanled.com

OceanLED USA
2019 SW 20th Street
Suite 101
Fort Lauderdale, Florida
FL 33315
USA
Tel: +1 954.523.2250
Fax: +1 954.523.2249
sales@oceanledusa.com



LIGHT. YEARS AHEAD.

www.OceanLED.com