

Model	Format	NAVIONICS+ NAVIONICS+ UPDATES			NAVIONICS+ NAVIONICS+ REGIONS NAVIONICS+ UPDATES			PLATINUM+ HOTMAPS PLATINUM			ADVANCED FEATURES			
		Blank (Downloadable)	Preloaded	Preloaded	Preloaded	Preloaded	Preloaded	Dock-to-dock Autorouting ¹	SonarChart™ Live	Advanced Map Options	Plotter Sync			
ACTIA [®]	Actia	MSD												
B&G ²	Zeus ² 7, 9, 12, 16; Vulcan 5, 7, 9, 12	SD/MSD						✓		✓	✓			
	Zeus ² 7, 9, 12	SD/MSD						✓		✓				
	Zeus Touch 7, 8, 12; Zeus 8, 12	SD/MSD												
DELORME	Earthmate PN-60, PN-40, PN-30	MSD												
Faria [®]	Maestro Mach-7	CF/MSD												
geonak	G12; G10	SD/MSD												
HUMMINBIRD ²	SOLIX 10 SI; SOLIX 12 SI; SOLIX 15 SI ONIX 8ci Combo, 8ci SI Combo, 10ci Combo, 10ci SI Combo; ION 10, 12	MSD												
	HELIX 12 CHIRP GPS G3N, CHIRP MEGA DI+ GPS G3N, CHIRP MEGA SI+ GPS G3N, CHIRP MEGA DI+ GPS G3N CHO; CHIRP MEGA SI GPS G2N, CHIRP GPS G2N, CHIRP DI GPS G2N, CHIRP SI GPS G2N, CHIRP SI GPS, CHIRP SI GPS KVD, CHIRP DI GPS, CHIRP GPS													
	HELIX 10 CHIRP GPS G3N, CHIRP MEGA DI+ GPS G3N, CHIRP MEGA SI+ GPS G3N, CHIRP MEGA DI+ GPS G3N CHO; CHIRP MEGA SI GPS G2N, CHIRP GPS G2N, CHIRP DI GPS G2N, CHIRP SI GPS G2N, SI GPS KVD, SI GPS, DI GPS, SONAR GPS													
	HELIX 9 CHIRP GPS G3N, CHIRP MEGA DI+ GPS G3N, CHIRP MEGA SI+ GPS G3N, CHIRP MEGA DI+ GPS G3N CHO; CHIRP MEGA SI GPS G2N, CHIRP GPS G2N, CHIRP DI GPS G2N, CHIRP SI GPS G2N, SI GPS KVD, SI GPS, DI GPS, SONAR GPS	MSD												
	HELIX 8 CHIRP GPS G3N, CHIRP MEGA DI GPS G3N, CHIRP MEGA SI+ GPS G3N, CHIRP MEGA DI GPS G3N CHO													
	HELIX 7 CHIRP GPS G3, CHIRP GPS G3N, CHIRP MEGA DI GPS G3, CHIRP MEGA SI GPS G3, CHIRP MEGA DI GPS G3N, CHIRP MEGA SI GPS G3N, CHIRP MEGA DI GPS G3 NAV+, CHIRP MEGA SI GPS G3 NAV+, CHIRP MEGA DI GPS G3N CHO; CHIRP GPS G2, CHIRP GPS G2N, CHIRP DI GPS G2, CHIRP DI GPS G2N, CHIRP SI GPS G2, CHIRP SI GPS G2N													
	HELIX 5 CHIRP GPS G2, CHIRP GPS G2 PT, CHIRP DI GPS G2, CHIRP SI GPS G2													
	1199CI HD SI, 1199CI HD SI KVD, 1198c SI, 1197, 1159CI HD, 1159CI HD XD, 1159CI HD DI, 1158c, 1158c DI, 1157, 1155													
	999CI HD SI, 999CI HD SI KVD, 998c HD SI, 998c SI, 998, 997, 967, 959CI HD, 959CI HD XD, 959CI HD DI, 958c HD, 958c HD DI, 958, 957, 955, 947, 937, 917	SD/MSD												
	899CI HD SI, 899CI HD SI NAV, 899CXI HD SI, 898c HD SI, 859CI HD, 859CI HD XD, 859CI HD DI, 858c HD, 858c HD DI, 858;													
987, 798ci HD SI, 798, 797, 788ci HD, 788ci HD DI, 788ci HD Combo CHO, 787, 786, 785, 767, 757, 755, 737, 698CI HD SI, 698CI HD SI KVD, 688CI HD, 688CI HD DI, 688CI HD XD, 688 ci HD DI KVD NAV; 598ci HD SI, 597ci HD, 597ci HD DI, 597, 587ci HD, 587;	SD/MSD													
HELIX 5 DI GPS, XD GPS, SONAR GPS, GPS, SI GPS, SI GPS KVD	MSD													
HELIX 7 SI GPS, SI GPS KVD, DI GPS, SONAR GPS, GPS, X GPS														
595c	SD/MSD													

IMPORTANT: Always make sure your GPS chartplotter is updated with the latest firmware release from OEM for the best performance.

Nautical Chart SonarChart™ Community Edits on Plotter with embedded Wi-Fi® with GoFree with Digital Yacht Sonar Server

¹Autorouting is for planning purposes only and does not replace safe navigation operations.

²Use SonarChart™ Live on mobile to automatically share sonar logs with Navionics.

Wi-Fi is a registered trademark of the Wi-Fi Alliance.

Model	Format	NAVIONICS+ NAVIONICS+ UPDATES	NAVIONICS+ NAVIONICS+ REGIONS NAVIONICS+ UPDATES	PLATINUM+ HOTMAPS PLATINUM	ADVANCED FEATURES											
		Blank (Downloadable)	Preloaded	Preloaded	Dock-to-dock Autorouting ¹	SonarChart™ Live	Advanced Map Options	Plotter Sync								
LOWRANCE ² HDS LIVE 7, 9, 12, 16; HDS Carbon 7, 9, 12, 16; HDS Gen3 7, 9, 12 Elite Ti ² 7, 9, 12; Elite Ti 5, 7, 9, 12	SD/MSD										✓			✓	✓	
	HDS Gen2 Touch 7, 7m, 9, 9m, 12, 12m	SD/MSD										✓ (not in U.S.)				
	HDS Gen2 5, 5m, 7, 7m, 8, 8m, 10, 10m	SD/MSD														
	HDS Gen1 5, 5m, 7, 7m, 8, 8m, 10, 10m	SD/MSD														
	Hook ² Combo 5, 7, 9, 12	SD/MSD													✓	
	Elite 4 HDI, 5 HDI, 7 HDI, 4 CHIRP, 5 CHIRP, 7 CHIRP, 9 CHIRP; Mark 4 HDI, 4 CHIRP; Hook 4, 5, 7, 9	SD/MSD ³														
	Elite 7 Broadband, 7M Gold	SD/MSD														
MAGELLAN eXplorist 510, 610, 710	SD/MSD															
MarCum TECHNOLOGIES RT-9	MSD															
MEDALLION Viper II	MSD															
Raymarine eSeries 7, 7D, 95, 97, 125, 127, 165 cSeries 95, 97, 125, 127 aSeries 6, 7, 9, 12, 65, 67, 68, 75, 77, 78, 95, 97, 98, 125, 127, 128	MSD										✓			✓	✓	
	eS Series 7, 9, 12, 75, 77, 78, 97, 98, 127, 128 gS Series 95, 125, 165, 195	MSD										✓			✓	✓
	Element 7 HV, 9 HV, 12 HV Axiom XL 16, 19, 22, 24 Axiom Pro 9, 12, 16 Axiom 7, 9, 12	MSD										✓			✓	✓
	Dragonfly 4 Pro, 5 Pro, 7 Pro	MSD													✓	
	Dragonfly 5 M, 6, 7	MSD														
	G Series G120, G150, G170, G190, GPM400 E Series Widescreen E140W, E120W, E90W C Series Widescreen C140W, C120W, C90W A Series 70, 70D, 57, 57D, 50, 50D	CF														
	SAMYUNG ENC NAVIS 2500, 2600, 3000, 3100, 3700, 3800, 5100, 700, 800; N/NF 100, 120, 3800, 430, 5100, 560, 700, 800	SD/MSD														
AIS 50N		SD/MSD														
SIMRAD ² NSS evo3 7, 9, 12, 16; GO XSE 5, 7, 9; GO 7, 9, 12	SD/MSD										✓			✓	✓	
	NSS evo2 7, 9, 12, 16, 7m, 9m	SD/MSD										✓				✓
Processor supporting external monitor (size range: 15 - 24 depending on buyer's choice)	SD/MSD										✓				✓	
NSO; NSE 8, 12; NSS 7, 8, 12	SD/MSD															
SITEX ² SAS-300, SVS-460, SVS-460 4, SVS-560, SVS-560 5, SVS-750, SVS-760, SVS-760 7, SVS-880, SVS-1010	SD/MSD															

IMPORTANT: Always make sure your GPS chartplotter is updated with the latest firmware release from OEM for the best performance.

Nautical Chart
 SonarChart™
 Community Edits
 on Plotter
 with embedded Wi-Fi®
 with GoFree
 with Digital Yacht Sonar Server

¹Autorouting is for planning purposes only and does not replace safe navigation operations.

²Use SonarChart™ Live on mobile to automatically share sonar logs with Navionics.

³Latest firmware release is required to run memory cards over 2 GB.

⁴Of the Platinum features, Satellite Overlay, Panoramic Photos and Pilot Books are compatible.

Beginning in 2013, our products have come on 2 GB or larger memory cards. Always make sure your GPS chartplotter is compatible. Some GPS chartplotters may be compatible with 2 GB memory cards but may have difficulty with large file sizes.

GPS CHARTPLOTTERS WITH LIMITED CHART SIZE CAPABILITY

Model	Format	NAVIONICS+ NAVIONICS+ UPDATES	PLATINUM+	ADVANCED FEATURES
		Blank (Downloadable)	Preloaded	SonarChart™ Live
FURUNO NavNet VX2	SD/MSD			
HUMMINBIRD 768, 581i, 581, 580i, 580, 398ci SI, 386ci, 386ci DI, 385ci, 385ci DI, 365i, 365	SD/MSD			
LOWRANCE Elite 4, 4DS, 4m, 4m HD, 5, 5 DSI, 5m, 5m HD; Mark 4 (MicroSD only); LMS 527c df iGPS, 525c df, 522c IceMachine, 522c iGPS, 520c; LCX 113c HD, 112c, 37c, 28c HD, 27c ; GlobalMap 9300, 9200, 8300, 8200, 7300, 7200, 5300, 5200, 5150	SD/MSD			
MEDALLION Viper 1	MSD			
MURPHY PowerView 1200, 1100, 780B, 780, 485; HelmView HV1000i, HV450	SD/MSD			
NORTHSTAR 6100i (requires S/W update 7.76); 6000i	CF			
Raymarine E Series E120, E80	CF			
C Series C120; C80; C70	CF			
Raychart 400, 435, 435i	CF			

IMPORTANT: Always make sure your GPS chartplotter is updated with the latest firmware release from OEM for the best performance.

- Nautical Chart
- SonarChart™
- Community Edits
- on Plotter
- with embedded Wi-Fi®
- with GoFree
- with Digital Yacht Sonar Server

NAVIONICS ADVANCED FEATURES

Advanced features are available when using a card that has an active daily chart updates subscription (included for one year if registered within two months of purchase). Also make sure your plotter has an updated software version installed.

Dock-to-dock Autorouting creates a suggested route, from a real start point to a real end point, based on chart data and navigation aids. NOTE: Autorouting is for planning purposes only and does not replace safe navigation operations.

SonarChart™ Live allows you to create new personal 1-ft HD bathymetry maps that display in real time on your plotter or mobile device screen while navigating. The new chart resides on your device for private use. Possible methods:

- P** Use your plotter with a sonar to enable SonarChart™ Live and see it directly on the display.
- W** Use **built-in Wi-Fi®** to connect your plotter/sonar to Navionics Boating app to enable SonarChart Live on your mobile. Depth data collected can also be sent automatically to Navionics to enhance SonarChart.
- G** Use **GoFree WIFI-1 Module** to connect your plotter/sonar to Navionics Boating app to enable SonarChart Live on your mobile. Depth data collected can also be sent automatically to Navionics to enhance SonarChart.
- S** Use **Digital Yacht Sonar Server** to connect your plotter/sonar to Navionics Boating app to enable SonarChart Live on your mobile. Depth data collected can also be sent automatically to Navionics to enhance SonarChart.

Advanced Map Options gives customized views of Navionics charts to highlight shallow areas, target a fishing range and adjust SonarChart contour density.

Plotter Sync connects plotter and mobile wirelessly and allows you to transfer routes and markers. You can also update charts and activate or renew the subscription of your eligible plotter card. With Raymarine models, it is also possible to upload sonar logs to enhance SonarChart.

PC APPLICATION

	NAVIONICS+ NAVIONICS+ UPDATES	NAVIONICS+ NAVIONICS+ REGIONS NAVIONICS+ UPDATES	PLATINUM+ HOTMAPS PLATINUM
	Blank (Downloadable)	Preloaded	Preloaded
TMQ C-Plot Nav+	 	 	 <i>Limited Platinum+ compatibility. Check with manufacturer.</i>
Digital Yacht's Smartertrack, Navigation Planner, PC Plotter, P-Sea			 <i>Limited Platinum+ compatibility. Check with manufacturer.</i>

- Nautical Chart
- SonarChart™
- Community Edits