



**TELE-OUTRIGGERS** 

## INTRODUCTION

The TACO TELE-OUTRIGGERS will offer trouble-free performance, with proper use & maintenance.

## **WARNING**

High speed cruising in rough seas is not recommended. High speed cruising with the outriggers fully extended can cause possible damage to the outrigger sections and internal components of the aluminum outrigger. Retract your TACO TELE-OUTRIGGER before operating under those conditions.

Excessive release clip tension or faulty clips can cause unnecessary loads on outriggers and mounts. Adjust and check clips before each use.

Do not dent any of the tubes. Do not

# **OPERATION TIPS**

Whenever possible, extend TACO TELE-OUTRIGGERS while in mount or free-standing. Gently pull to the end of each section keeping eyelets lined up. Once in position, rotate until spring-loaded locking buttons engage.


tamper with the eyelets as they are preset

during assembly.

# **MAINTENANCE**

Wash with fresh water in the fully extended position after each use. Spray all exterior and inside locking components with a quality lubricant then lightly wipe down with soft cloth. (Silicon based lubricants are not recommended).

# PREMIUM RIGGING KIT





### **TACO Grand Slam 370 Mounts**



- Fully adjustable from under the top
- For use on both soft and hard tops
- Fold-up crank handle for maximum clearance

### **TACO Grand Slam 270 Mounts**



- 12 locking positions
- Rotator handle positioning installs to avoid obstruction
- Rotate outrigger position from under the top
- · Lay down arm for bridges & trailering

### **TACO Sport Slam Mounts**



- · Easy to install
- · Pull pin for multiple fishing positions
- Operates above the top
- · Lay down arm

# **TACO Outrigger Line Caddy**



- Clamp to Tele-Outriggers
- Eliminates rigging from tangles when retracted



TACOmarine.com

Tech Support: 800-653-8567 • info@TACOmarine.com

INSTRUCTIONS-OUTRIGGER

T A C O m a r i n e . c o m