# **TECHNICAL DATA SHEET**



# **Super Stainless**

## **Product Description**

### Type

This is a phosphoric acid based stainless steel cleaner.

### **Features and Benefits**

It removes rust staining and surface corrosion from polished marine grade stainless steel

#### Recommended Use

Used for cleaning of rust staining and surface corrosion from polished marine grade stainless steel

### **Product Data**

**Colours** Clear/Straw

pH Value 1.0

**VOC-USA** 

**Contents** Contains non-ionic surfactants < 5%

# Packaging (typical)

Volumes (Litres) Size of Containers (litres)

Super Stainless 500500 ml500 mlSuper Stainless 10001000ml1000ml

Local variants in pack size and filled volumes can vary due to local regulations.

# **Application Data**

The product can be applied by:

Brush: Recommended

Cotton, Rag, Sponge may be used.

Product Mixing Ratio (by volume)

Single pack

**Cleaning of Painting Tools** 

Water

1 | Page

# **TECHNICAL DATA SHEET**



### **Directions for Use**

### Surface preparation

Apply the product to the area to be treated. Allow to work for up to 30 minutes. Rinse well with fresh water and a sponge.

#### Pre-treatment

Clean with detergent.

### Storage

This product must be stored in accordance with national regulations. Keep the containers in a dry, cool, well ventilated space away from sources of heat and ignition. Containers must be kept tightly closed. Handle with care.

### Shelf Life at 23°C

**Super Stainless** 

24 Months

In some markets commercial shelf life may be dictated shorter by local legislation.

## **Health and Safety**

Please observe the environmental and precautionary notices displayed on the container.

A Safety Data Sheet for the product has been issued.

Detailed information regarding the health and safety risks and precautions for the use of this product is specified in the products Safety Data Sheet.

First aid measures, refer to section 4.

Handling and storage, refer to section 7.

Transport information, refer to section 14.

Regulatory information, refer to section 15.

### UFI: 1FD0-80S3-300M-AM0U

#### Disclaimer

The information in this document is given to the best of Yellow Dolphins knowledge, based on laboratory testing and practical experience. Yellow Dolphins products are considered as semi-finished goods and as such, products are often used under conditions beyond Yellow Dolphins control. Yellow Dolphin cannot guarantee anything but the quality of the product itself. Minor product variations may be implemented in order to comply with local requirements. Yellow Dolphin reserves the right to change the given data without further notice.

Users should always consult Yellow Dolphin for specific guidance on the general suitability of this product for their needs and specific application practices.

If there is any inconsistency between different language issues of this document, the English (United Kingdom) version will prevail.