

SAFETY DATA SHEET

1. Identification

Product identifier	Vinyl & Plastic Cleaner		
Other means of identification			
Product Code	1663		
Recommended use	Hard Surface Cleaner		
Recommended restrictions	None known.		
Manufacturer/Importer/Supplier/I	Distributor information		
Manufacturer			
Company name Address	Presta Products 361 Fairview Ave Barberton, OH 44203 United States		
Telephone	Phone	800-253-2526	
Website E-mail Contact person Emergency phone number	Fax www.prestaproducts.com msdsinfo@malcopro.com Technical Department Phone	330-777-8317 1-800-424-93	
2. Hazard(s) identification			
Physical hazards	Not classified.		
Health hazards	Acute toxicity, oral		Category 4
	Skin corrosion/irritation		Category 1A
	Specific target organ toxicity, sir	nale exposure	
Environmental hazards	Not classified.	.9	
OSHA defined hazards	Not classified.		
Label elements			
Signal word	Danger		

Signal word	Danger
Hazard statement	Harmful if swallowed. Causes severe skin burns and eye damage. May cause respiratory irritation.
Precautionary statement	
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.
Storage	Store in a well-ventilated place. Keep container tightly closed. Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Dodecyldimethylamine Oxide		1643-20-5	< 1
Sodium Hydroxide		1310-73-2	< 1
Tetrasodium Ethylenediaminetetraacetate		64-02-8	< 1
Other components below reportal	ble levels		90 - 100

Other components below reportable levels

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin contact	Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.
Eye contact	Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.
Ingestion	Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.
Most important symptoms/effects, acute and delayed	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim warm. Keep victim under observation. Symptoms may be delayed.
General information	If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.
5. Fire-fighting measures	

Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Use standard firefighting procedures and consider the hazards of other involved materials.
General fire hazards	No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
Environmental precautions	Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage Precautions for safe handling

Provide adequate ventilation. Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Do not taste or swallow. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

Components	Туре	Value		
Sodium Hydroxide (CAS 1310-73-2)	PEL	2 mg/m3		
US. ACGIH Threshold Limit	t Values			
Components	Туре	Value		
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3		
US. NIOSH: Pocket Guide t	o Chemical Hazards			
Components	Туре	Value		
Sodium Hydroxide (CAS 1310-73-2)	Ceiling	2 mg/m3		
iological limit values	No biological exposure limits noted for	No biological exposure limits noted for the ingredient(s).		
ppropriate engineering ontrols	should be matched to conditions. If a or other engineering controls to main exposure limits have not been establ) air changes per hour) should be used. Ventilation rates pplicable, use process enclosures, local exhaust ventilation tain airborne levels below recommended exposure limits. If ished, maintain airborne levels to an acceptable level. Eye er must be available when handling this product.		
ndividual protection measures	s, such as personal protective equipm	nent		
Eye/face protection	Wear safety glasses with side shields recommended.	with side shields (or goggles) and a face shield. Face shield is		
Skin protection				
Hand protection	Wear appropriate chemical resistant supplier.	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.		
• •	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.			
Other	Wear appropriate chemical resistant	clothing. Use of an impervious apron is recommended.		
Other Respiratory protection		clothing. Use of an impervious apron is recommended. ar suitable respiratory equipment. Chemical respirator with		
	In case of insufficient ventilation, wea	ar suitable respiratory equipment. Chemical respirator with		

9. Physical and chemical properties

Appearance	
Physical state	Liquid.
Form	Liquid. Watery liquid.
Color	Translucent Light yellow to dark yellow.
Odor	Not significant.
Odor threshold	Not available.
рН	13
Melting point/freezing point	Not available.
Initial boiling point and boiling range	Not available.
Flash point	none.
Evaporation rate	Not available.

Material name: Vinyl & Plastic Cleaner

1663 Version #: 01 Issue date: 04-07-2016

Flammability (solid, gas)Not applicable.Upper/lower flammability or explosive limitsNot available.Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies) Solubility (water)100 %Partition coefficient (n-octanol/water)Not available.Auto-ignition temperature Decomposition temperatureNot available.Viscosity5 cPViscosity temperature Density8.49 lb/galExplosive properties Oxidizing propertiesNot oxidizing.Specific gravity1.02
Flammability limit - lower (%)Not available.Flammability limit - upper (%)Not available.Explosive limit - lower (%)Not available.Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)100 %Solubility (water)100 %Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity temperature68 °F (20 °C)Other information Density8.49 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
(%) Flammability limit - upper (%) Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available. Relative density Not available. Solubility(ies) Solubility (water) 100 % Partition coefficient Not available. (n-octanol/water) Auto-ignition temperature Not available. Decomposition temperature Not available. Viscosity 5 cP Viscosity temperature 68 °F (20 °C) Other information Density 8.49 lb/gal Explosive properties Not explosive. Oxidizing properties Not oxidizing.
(%) Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available. Solubility(ies) Solubility (water) 100 % Partition coefficient Not available. (n-octanol/water) Not available. Decomposition temperature Not available. Viscosity 5 cP Viscosity temperature 68 °F (20 °C) Other information Density 8.49 lb/gal Explosive properties Not explosive. Oxidizing properties Not oxidizing.
Explosive limit - upper (%)Not available.Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Solubility(ies)Not available.Solubility(ies)100 %Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity5 cPViscosity temperature68 °F (20 °C)Other information8.49 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
Vapor pressureNot available.Vapor densityNot available.Relative densityNot available.Relative densityNot available.Solubility(ies)100 %Solubility (water)100 %Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity5 cPViscosity temperature68 °F (20 °C)Other information8.49 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
Vapor densityNot available.Relative densityNot available.Solubility(ies)100 %Solubility (water)100 %Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity5 cPViscosity temperature68 °F (20 °C)Other information Density8.49 lb/galExplosive propertiesNot explosive. Not oxidizing.
Relative densityNot available.Solubility(ies)100 %Solubility (water)100 %Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity5 cPViscosity temperature68 °F (20 °C)Other information8.49 lb/galDensity8.49 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
Solubility(ies) Solubility (water)100 %Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity5 cPViscosity temperature68 °F (20 °C)Other information Density8.49 lb/galExplosive properties Oxidizing propertiesNot oxidizing.
Solubility (water)100 %Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity5 cPViscosity temperature68 °F (20 °C)Other information Density8.49 lb/galExplosive properties Oxidizing propertiesNot oxidizing.
Partition coefficient (n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity5 cPViscosity temperature68 °F (20 °C)Other information Density8.49 lb/galExplosive properties Oxidizing propertiesNot oxidizing.
(n-octanol/water)Not available.Auto-ignition temperatureNot available.Decomposition temperatureNot available.Viscosity5 cPViscosity temperature68 °F (20 °C)Other information8.49 lb/galDensity8.49 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
Decomposition temperatureNot available.Viscosity5 cPViscosity temperature68 °F (20 °C)Other information8.49 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
Viscosity5 cPViscosity temperature68 °F (20 °C)Other information8.49 lb/galDensity8.49 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
Viscosity temperature68 °F (20 °C)Other information8.49 lb/galDensity8.49 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
Other information8.49 lb/galDensity8.49 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
Density8.49 lb/galExplosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
Explosive propertiesNot explosive.Oxidizing propertiesNot oxidizing.
Oxidizing properties Not oxidizing.
Specific gravity 1.02
VOC (Weight %) 0 by weight

10. Stability and reactivity

Reactivity	Reacts violently with strong acids. This product may react with oxidizing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Acids. Oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause irritation to the respiratory system. Prolonged inhalation may be harmful.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns. Harmful if swallowed.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. May cause respiratory irritation.
Information on toxicological effe	ects

Acute toxicity

In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and central nervous system effects. Harmful if swallowed. May cause respiratory irritation.

Fetrasodium Ethylenediaminetetraa Acute Oral LD50 * Estimates for product may be Skin corrosion/irritation	acetate (CAS 64-02-8) Rat	
Oral LD50 * Estimates for product may be	Rat	
LD50 * Estimates for product may be	Rat	
* Estimates for product may be	Rat	
		> 2000 mg/kg
Skin corrosion/irritation		
	Causes severe skin burns and eye	e damage.
Serious eye damage/eye rritation	Causes serious eye damage.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to car	use skin sensitization.
Germ cell mutagenicity	No data available to indicate produ mutagenic or genotoxic.	uct or any components present at greater than 0.1% are
Carcinogenicity	This product is not considered to b	be a carcinogen by IARC, ACGIH, NTP, or OSHA.
IARC Monographs. Overall E	valuation of Carcinogenicity	
Not available.		
OSHA Specifically Regulated	d Substances (29 CFR 1910.1001-	.1050)
Not listed.		
US. National Toxicology Prog	gram (NTP) Report on Carcinoge	ns
Not available.		
Reproductive toxicity	This product is not expected to car	use reproductive or developmental effects.
Specific target organ toxicity - single exposure	May cause respiratory irritation.	
Specific target organ toxicity - epeated exposure	Not classified.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	Prolonged inhalation may be harm	nful.
12. Ecological information		
Ecotoxicity	The product is not classified as en	wironmentally hazardous. However, this does not exclude
	possibility that large or frequent sp	pills can have a harmful or damaging effect on the environ
Components	Species	Test Results
Sodium Hydroxide (CAS 1310-	-73-2)	
Aquatic		
Fish L	_C50 Western mosquitof	fish (Gambusia affinis) 125 mg/l, 96 hours
Tetrasodium Ethylenediaminet	etraacetate (CAS 64-02-8)	
Aquatic		
	_C50 Bluegill (Lepomis r	macrochirus) 472 - 500 mg/l, 96 hours
, ,	e based on additional component da	
Persistence and degradability	No data is available on the degrac	Jability of this product.
Bioaccumulative potential	No data available.	
Mobility in soil	No data available.	
Other adverse effects		ffects (e.g. ozone depletion, photochemical ozone creation bal warming potential) are expected from this component
13. Disposal consideration	S	
Disposal instructions		sealed containers at licensed waste disposal site. Dispose with local/regional/national/international regulations.
_ocal disposal regulations	Dispose in accordance with all app	
· •		ed in discussion between the user, the producer and the v

Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).	
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.	
14. Transport information		
DOT		
Not regulated as dangerous g	pods.	
ΙΑΤΑ		
Not regulated as dangerous g	pods.	
IMDG		
Not regulated as dangerous g		
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not established.	
15. Regulatory information	1	
US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.	
TSCA Section 12(b) Export N	Notification (40 CFR 707, Subpt. D)	
Not regulated. CERCLA Hazardous Substa	nce List (40 CFR 302.4)	
Sodium Hydroxide (CAS		
SARA 304 Emergency release		
Not regulated.	d Substances (29 CFR 1910.1001-1050)	
Not listed.	a Substances (29 CFR 1910.1001-1030)	
	authorization Act of 1986 (SARA)	
Hazard categories	Immediate Hazard - Yes Delayed Hazard - No Fire Hazard - No	
	Pressure Hazard - No Reactivity Hazard - No	
SARA 302 Extremely hazard		
Not listed.		
SARA 311/312 Hazardous chemical	Νο	
SARA 313 (TRI reporting) Not regulated.		
Other federal regulations		
Clean Air Act (CAA) Section	112 Hazardous Air Pollutants (HAPs) List	
Not regulated.		
	112(r) Accidental Release Prevention (40 CFR 68.130)	
Not regulated.	Not regulated.	
Safe Drinking Water Act (SDWA)	Not regulated.	
US state regulations		
US. California Controlled Su	bstances. CA Department of Justice (California Health and Safety Code Section 11100)	
Not listed. US. California. Candidate Ch (a))	nemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd.	
(م) Sodium Hydroxide (CAS	1310-73-2)	
US. Massachusetts RTK - Su	,	
Sodium Hydroxide (CAS	,	
•	Community Right-to-Know Act	
Sodium Hydroxide (CAS	· ·	
Material name: Vinvl & Plastic Cleane	SDS US	

US. Pennsylvania Worker and Community Right-to-Know Law

Sodium Hydroxide (CAS 1310-73-2)

US. Rhode Island RTK

Sodium Hydroxide (CAS 1310-73-2)

US. California Proposition 65

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date	04-07-2016
Version #	01
Disclaimer	The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. Malco Automotive cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently available.