

NISSAN® & TOHATSU®: (12 spline)

4 stroke ('05 & newer): 8hp, 9.9hp

MERCURY® & MARINER®: (12 spline, cotter pin)

Engine Brand - Various Splined Prop Shafts

2 stroke: 20, 25 ('84+), 25 commercial ('93-'05), 30 ('84+), 35 ('76-'05) /

EVINRUDE® & JOHNSON®: (14 spline)

E-Tec: 25hp, 30hp / H.O.: 15hp

AN INSTALLATION KIT IS REQUIRED =

MasterGuard Kits include a Lifetime Warranty

WARNING: MasterGuard Installation Kits Warning: This product can expose you to chemicals including lead and lead compounds, which are known to the

1 State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

2 & 4 stroke: 8hp, 9.8l

208 11100801

208 11100801

MFG. Part #

11200200

PRE-11100801

FOR PROPS LISTED TO THE RIGHT

Order #

PRE-11200200 \$00.00

PRE-11100801 \$00.00

\$00.00

LIST

*Note: To find the correct installation kit and propeller housing, locate the HP, gearcase size, and prop shaft spline count of your outboard or sterndrive

WANT A DIAMETER AND PITCH RECOMMENDATION?



Turning Point manufactures propellers to fit 6-300+hp Evinrude®, Force®, Honda®, Johnson®, Mariner®, Mercruiser®, Mercury®, Nissan®, OMC®, Parsun®, Suzuki®, Tohatsu®, Volvo Penta®, and Yamaha® Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.



6-20hp

ENGINES WITH A 2.5" GEARCASE




ninate hub system vibration & chatter. luce gear shock & engine/drive damage luce prop replacement cost by up to 33%

9.9-35hp

ENGINES WITH A

3" GEARCASE

Engines on the next page.



HUSTLER **ALUMINUM a** 21100910 9 x 9 PRE-21100910 3BLADE **a** 21101010 9 x 10 PRE-21101010 Model: R4 LIST \$000.00

©2021 Turning Point Propellers, Inc. All Rights Reserved. Evinrude, Johnson, and Cobra are registered trademarks of BRP US, Inc. Honda is a registered trademark of American Honda Motor Co., Inc. Mercury, Mariner, Force, MerCruiser, Alpha One™ and Bravo One™ are registered trademarks of Brunswick Corporation. Parsun is a registered trademark of Suzhou Parsun Power Machine Co., LT. Nissan is a registered trademark of Nissan Marine. Suzuki is a registered trademark of American Suzuki Motor Corporation. Tohatsu is a registered trademark of Tohatsu Corp. Volvo is a registered trademark of AB Volvo Penta. Yamaha® is a registered trademark of Yamaha Motor Corporation.



NOT SURE WHICH PROPELLER TO GET?



Get a Free Diameter and Pitch Recommendation With Our Online Tool Prop Wizard:

http://tpprops.com/propwizard

or Call Propeller Support at: +1-904-900-7739 x1

Office Hours M-F 9-5pm ET



- Reduce prop replacement cost by up to 50%
- Reduce gear shock and engine/drive damage Minimizes propeller vibration and chatter
- Corrosion resistant brass splines and nylon
- Eliminates spun hubs
- Ends hub cracking
- Hub included in MasterGuard Installation Kits





ALUMINUM 3BLADE Model: R1

MFG. Part # Order # PRE-21201110 **10.125 x 13 a** 21201310 PRE-21201310

LIST \$000.00

EXPRESS Dia x Pitch STAINLESS STEEL

Model: FX1

3 BLADE

MFG. Part # Order # PRE-31201111 **10.125 X 13** 📾 31201311 PRE-31201311 LIST \$000.00



ALUMINUM 3BLADE

MFG. Part # Order # PRE-21211110 **10.375 x 13 a** 21211310 PRE-21211310 LIST \$000.00

EXPRESS. Dia x Pitch STAINLESS STEEL **3BLADE**

Model: FX2

FG. Part # Order # PRE-31211111 **10.375 X 13 a** 31211311 PRE-31211311 LIST \$000.00

MasterGuard 20 Series Installation Kits rosion resistant brass spli ninate hub system vibration & chatter duce gear shock & engine/drive damage duce prop replacement cost by up to 33% Note: Find Additional 3" Gearcase





BETTER THAN THE OEM PROPELLER

*Note: To find the correct installation kit and propeller housing, locate the HP, gearcase size, and prop shaft spline count of your outboard or sterndrive

WANT A DIAMETER AND PITCH RECOMMENDATION?





Turning Point manufactures propellers to fit 6-300+hp Evinrude®, Force®, Honda®, Johnson®, Mariner®, Mercruiser®, Mercury®, Nissan®, OMC®, Parsun®, Suzuki®, Tohatsu®, Volvo Penta®, and Yamaha® Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.



20-30hp **3" GEARCASE**

MASTERGUARD 20 Series Installation Kits

ium corrosion resistant brass splines inate hub system vibration & chatter uce gear shock & engine/drive damage uce prop replacement cost by up to 33%

Note: Find Additional 3" Gearcase Engines on the previous page.

25-75hp

ENGINES WITH A 3.5" GEARCASE



10 Series Installation Kits

ium corrosion resistant brass splines inate hub system vibration & chatter. luce gear shock & engine/drive damage uce prop replacement cost by up to 33%

	AN INSTALLATION KIT IS REQUIRED MasterGuard Kits include a Lifetime Warranty	Ţ	FOR PROPS	S LISTED TO TH	E RIGHT
E	Engine Brand - 10 Spline Prop Shaft	Kit	MFG. Part #	Order #	LIST
	EVINRUDE® & JOHNSON®: 4 stroke: 25hp, 30hp	26	11200600	PRE-11200600	\$00.00
	SUZUKI®: DT 2 stroke ('87+): 20, 25, 25C, 30, 30C DF 4 stroke: 25hp, 30hp	26	11200600	PRE-11200600	\$00.00

NOT SURE WHICH PROPELLER TO GET?

🧱 AN INSTALLATION KIT IS REQUIRED 🗕




Get a Free Diameter and Pitch Recommendation With Our Online Tool Prop Wizard: http://tpprops.com/propwizard or Call Propeller Support +1-904-900-7739 x1 Office Hours M-F 9-5pm ET


FOR PROPS LISTED TO THE RIGHT

NasterGuard Kris Include a Lifetime Warranty	+			\ '
Engine Brand - 13 Spline Prop Shaft	Kit	MFG. Part #	Order #	LIST
JOHNSON®: 4 stroke: 40hp, 50hp	11	11300101	PRE-11300101	\$00.00
FORCE®: 40hp ('95-'98), 50hp ('95-'98), 70hp ('91-'95), 75hp ('96-'98)	11	11300101	PRE-11300101	\$00.00
HONDA®: BF 4 stroke: 35, 40, 45, 50, 60hp, (not P60)	12	11300200	PRE-11300200	\$00.00
MERCURY® & MARINER®: 2 stroke: 30hp ('94+) / 35, 45, 55 / 40, 50, 60 ('77+) / 70hp ('77-'83) 4 stroke: 25hp, 30hp Bigfoot / 30hp ('94-'05) / 40hp (*not Bigfoot, CT, or SeaPro 4cyl.), 45hp, 48hp(Mariner), 50hp (*not bigfoot or CT), 55hp (SeaPro), 60hp (*not Bigfoot, CT, or SeaPro) *note: see 4.25" Gearcase for Bigfoot / CT 40-60hp & 2 stroke 70hp.	11	11300101	PRE-11300101	\$00.00
NISSAN® & TOHATSU®: Note: Do not use 12in diameter propellers. 35B ('84 & older), 40C, 40D, 50A('14+); 50D, 50C, 60A, MFS60, 70A2, 60B, 70B	13	11300301	PRE-11300301	\$00.00
PARSUN®: T30, T35, T36, T40	12	11300200	PRE-11300200	\$00.00
SUZUKI®: DT 2 stroke ('89+): 35C, 40, 50, 50M, 55, 60, 65hp DF 4 stroke: 40hp, 50hp / ('10+): 40A, 50A, 60A	11	11300101	PRE-11300101	\$00.00
YAMAHA®: 2 stroke: 40hp to 55hp / 4 stroke: FT25 High Thrust: 30hp to 60hp	12	11300200	PRF-11300200	\$00.00

	AN INSTALLATION KIT IS REQUIRED MasterGuard Kits include a Lifetime Warranty	FOR PROPS LISTED TO THE RIGH						
C	Engine Brand - 13 Spline Prop Shaft	Kit	MFG. Part #	Order #	LIST			
	EVINRUINRUDE® & JOHNSON®: 2 cyl.: 40hp, 48hp / 50hp ('75-'05) / 55hp ('76-'79) / 60hp, 65hp ('80-'85) 3 cyl. (with small gearcase): 75hp ('75-'85) Sprint and Formula E ('86-'92)	12	11300200	PRE-11300200	\$00.00			











Get a Free Diameter and Pitch Recommendation With Our Online Tool Prop Wizard:

http://tpprops.com/propwizard

or Call Propeller Support at: +1-904-900-7739 x1 Office Hours M-F 9-5pm ET

WARNING: Hustler Aluminum Propeller Housing Warning: This product can expose you to chemicals including carbon, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



WARNING: MasterGuard Installation Kits Warning: This product can expose you to chemicals including lead and lead compounds, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



BETTER THAN THE OEM PROPELLER

*Note: To find the correct installation kit and propeller housing, locate the HP, gearcase size, and prop shaft spline count of your outboard or sterndrive

40-150hp **ENGINES WITH A**

4.25" GEARCASE



500 Series Installation Kits

Use on engines under 200hp with uminum or stainless steel props or most engines 200hp and above with aluminum props only.

nium corrosion resistant brass splines ninate hub system vibration & chatter. duce gear shock & engine/drive damage educe prop replacement cost by up to 33%



800 Series Installation Kits For noisy lower units - quieter ride Use on engines 40hp and above with stainless steel props. Includes a limited 1 year warranty.

500 MasterGuard & 800 MasterTo ries Installation Kits & Correspondi Housings are Compatible wit ind Upgrade Competitors' Hub & Pro Systems. Interchangeable with Mercury To-Torq II®, Michigan Wheel® XHS® Solas® Rubex™ hub kit systems. NOTE: Not pplicable with Turning Point's 10, 20 and 200 Hub Kit series.

Ţ	– For Prop	S LISTED TO TH	E RIGHT •
Kit	MFG. Part #	Order #	LIST
503	11500300	PRE-11500300	\$00.00
506	11500600	PRE-11500600	\$00.00
501	11500100	PRE-11500100	\$00.00
501	11500100	PRE-11500100	\$00.00
507	11500700	PRE-11500700	\$00.00
501	11500100	PRE-11500100	\$00.00
801F	11800100	PRE-11800100	\$00.00
	503 506 501 501 507 501	Kit MFG. Part # 503 11500300 506 11500600 501 11500100 507 11500700 501 11500100	503 11500300 PRE-11500300 506 11500600 PRE-11500600 501 11500100 PRE-11500100 501 11500100 PRE-11500100 507 11500700 PRE-11500700 501 11500100 PRE-11500100

JOHNSON®: (13 spline shaft) 4 stroke ('98-'09): 60hp, 70hp	506	11500600	PRE-11500600	\$00.00
FORCE®: (15 spline shaft) 75hp ('99) / 90hp to 150hp ('95+)	501	11500100	PRE-11500100	\$00.00
HONDA®: (15 spline shaft) ('95-'98): 75hp, 90hp	501	11500100	PRE-11500100	\$00.00
HONDA®: (15 spline shaft) P60 / 75, 90 ('99+) / 100, 115 (not 115D), 130hp	507	11500700	PRE-11500700	\$00.00
MERCURY® & MARINER®: Note¹: Use 801F kit on noisy lower units with stainless steel propellers. Note²: Props Not Available for '77 & Older models. (15 spline shaft) (2 & 4 stroke) 40 to 60 CT, Bigfoot, FourStroke / 70 ('87-'89) / 75, 80 ('78-'89), 90, 100, 115,	501	11500100	PRE-11500100	\$00.00
125, 140hp / 150 XR4/6 (thru 1993, includes equivalent Mariner Magnum I, II, III.) FourStroke™ & SeaPro™ 4cyl: 40 to 75hp / 0ptiMax: 75, 90, 115, 125hp	801F	11800100	PRE-11800100	\$00.00
NISSAN® & TOHATSU®: (15 spline) 60C, 70C, 70('02-'09) / (not BFT): 90 to 140hp / 115 TLDI ('14+)	505	11500500	PRE-11500500	\$00.00
NISSAN® & TOHATSU®: (15 spline shaft) BFT ('14+): W60, 60, 75, 90hp	507	11500700	PRE-11500700	\$00.00
OMC®: (13 spline shaft) Cobra 400: 2.3 to 3.0L ('78-'89) / Sea Drive: 1.6 to 1.8L	503	11500300	PRE-11500300	\$00.00
PARSUN®: (15 spline shaft) T60, T75, T85, T90	500	11500000	PRE-11500000	\$00.00
SUZUKI®: (13 spline shaft) DT 2 Stroke ('89+): 75 to 140hp / DF 4 Stroke ('98-'09): 60hp, 70hp	506	11500600	PRE-11500600	\$00.00
SUZUKI® & JOHNSON®: (use 4 blade props only) 4 stroke: ('09+) 70A, 80A, 90A, 70, 80 / ('01+) 90, 100, 115 (Not 115A)	509	11500900	PRE-11500900	\$00.00
SUZUKI® & JOHNSON®: (use 4 blade props only) DF 4 stroke: 50AV, 60AV, 115A, 140, 140A	501	11500100	PRE-11500100	\$00.00
YAMAHA®: (15 spline shaft) Note¹: Use 800F kit on noisy lower units with stainless steel propellers.	500	11500000	PRE-11500000	\$00.00
Note ² : If prop strikes trim tab, replace with Yamaha part #6E5-45371-10. High Thrust: FT50, FT60 / 2 stroke: 60 to 100hp / 4 stroke: 70, 75 ('03-'16), 80, 90 ('03-'16), 100hp	800F	11800000	PRE-11800000	\$00.00
YAMAHA®: (15 spline shaft) Note¹: Use 805F kit on noisy lower units with stainless steel propellers.	505	11500500	PRE-11500500	\$00.00
Note ² : If prop strikes trim tab, replace with Yarraha part #6E5-45371-10. 2 stroke: 115 to 130hp / 4 stroke: 75 ('17+), 90 ('17+), 115hp	805F	11800500	PRE-11800500	\$00.00



Stainless Steel Performance at Aluminum Prices

s in recent tests. Not only does top speed, hand ormance, which will save you a ton in gas usage

nless steel performance is built into the Hustler Aluminum prop line. This is achieved through unique blade geometry and an exclusive Turning Point manufacturing process, Squeeze Casting It generates the highest mechanical properties attainable in a cast aluminum prop resulting from a tighter grain structure. Stiffer blades means less flex and a faster prop. Competitors still use old Die-Cast processes that produce blades that flex, resulting in overall poor performance.





WANT A DIAMETER AND PITCH RECOMMENDATION?





Turning Point manufactures propellers to fit 6-300+hp Evinrude®, Force®, Honda®, Johnson®, Mariner®, Mercruiser®, Mercury®, Nissan®, OMC®, Parsun®, Suzuki®, Tohatsu®, Volvo Penta®, and Yamaha® Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.









BETTER THAN THE

*Note: To find the correct installation kit and propeller housing, locate the HP, gearcase size, and prop shaft spline count of your outboard or sterndrive






Turning Point manufactures propellers to fit 6-300+hp Evinrude®, Force®, Honda®, Johnson®, Mariner®, Mercruiser®, Mercury®, Nissan®, OMC®, Parsun®, Suzuki®, Tohatsu®, Volvo Penta®, and Yamaha® Outboards and Sterndrives. Choose one of our Lifetime Warranty MasterGuard Installation Kits to fit your engine, then choose the propeller that matches your boating requirements. There are 3 & 4 blade, left & right rotation prop models with a variety of diameter & pitch options available for almost all boat types. Our Props Run Faster, Pull Harder, and Handle Better.

Left Rotation Right Rotation (standard)





ENGINES WITH A 4.75"+ GEARCASES



500 Series Installation Kits Use on engines under 200hp with aluminum or stainless steel props or most engines 200hp and above with aluminum props only.



700 Series Installation Kits or heavy duty extreme load application Use on engines 200hp and above with stainless steel props.



800 Series Installation Kits For noisy lower units - quieter ride Use on engines 40hp and above with stainless steel props.



621 Series Installation Kits Engineered For Big Prop Shafts
Use on 1.25" Mercury Prop Shafts
vith stainless steel or aluminum props

nstallation Kits & Corresponding Prop Housings are Compatible with, nd Upgrade Competitors' Hub & Prop systems. Interchangeable with Mercury® Io-Torq II®, Michigan Wheel® XHS®, solas® Rubex™ hub kit systems. NOTE: lot applicable with Turning Point's 10, 0 and 200 Hub Kit series.


*Note: Lifetime Warranty on 500 & 700 Series Hubs Apply To Non-Commercial Use Only, for terms & conditions visit: http://tpprops.com/warranty

AN INSTALLATION KIT IS REQUIRED = FOR PROPS LISTED TO THE RIGHT • See Installation Kit Application Guide for best kit selection. MasterGuard 500 & 700 Series Kits include a Lifetime Warranty

	Engine Brand - Various Splined Prop Shafts	Kit	MFG. Part #	Order #	LIST
	EVINRUDE® & JOHNSON®: (15 spline shaft) V4 with V6 large gearcase: 100hp commercial, 120hp ('85),130hp ('95-'96), 140hp ('85), Pleasure ('95+): 115hp, 130hp / H.O. (includes E-TEC H.O.): (25" shaft) 90, 115, 135, 150, 200, 225, 250hp E-TEC (includes pontoon senes - NOT for E-TEC 62): 90hp (25" shaft), 115hp, 130hp ('09-'10), 135hp to 300hp / V6: 135hp to 250hp / V8: 250hp to 300hp	502	11500200	PRE-11500200	\$00.00
	EVINRUDE® E-TEC® G2™: (15 spline shaft)	511	11501100	PRE-11501100	\$00.00
	Note: Use 711 Super Duty Kit for 200+hp Engines w/ SS Props. G2 Series Only: 140hp w/ large gearcase, 150 H.O. to 300hp	711	11701100	PRE-11701100	\$00.00
	HONDA®: (15 spline shaft)	508	11500800	DDF 11500000	¢00.00
	Note: Use 708 Super Duty Kit for 200+ hp Engines w/ SS Props. BF115D ('11+), BF135 ('04+), BF150 ('04+), BF200 ('02+),		11300000	PRE-11500800	\$00.00
	BF225 ('02+), BF250 ('12+)	708	11700800	PRE-11700800	\$00.00
	JOHNSON®: (use Express Mach3 OS series props only) 4 stroke: 200-225hp	707	11700700	PRE-11700700	\$00.00
	MERCURY® & MARINER®: (15 spline shaft)	501	11500100	PRE-11500100	\$00.00
	Note¹: See Installation Kit Application Guide for best kit selection. ProXS 115CT / FourStroke™ & SeaPro™: 90CT, 115CT, 150hp, 200 to 300	701	11700100	PRE-11700100	\$00.00
	V6: 135 to 300hp / Verado 135 to 300hp(not HD) / OptiMax: 150, 200, 250hp	801F	11800100	PRE-11800100	\$00.00
	MERCURY®: (19 spline shaft) Designed for HD (Heavey Duty) 1.25" prop shaft - HD 5.25-5.44" gearcases: Pro XS 175-250hp w/ Torque Master gearcase, Verado 300-400hp, Sport Master, Torque Master I & II (Torque Master Gearcases to fit 200XS, 225X, 2.5 EFI, 225 Pro X, 250XS, 300X), Fleet Master	621	11602100	PRE-11602100	\$00.00
	MERCRUISER®: (15 spline shaft) Alpha One and Bravo One (*83+)	501	11500100	PRE-11500100	\$00.00
	Note1: Use 701 Super Duty Kit for 200+hp Bravo One Drives w/ SS Props. For all other applications use 501 kit w/ stainless steel or aluminum props. Note2: If propeller strikes trim tab, replace with Mercury part #822777A1	701	11700100	PRE-11700100	\$00.00
	MERCRUISER®: (19 spline shaft) Designed for HD (Heavey Duty) 1.25" prop shaft - HD 5.25-5.44" gearcases: Bravo One XR/XZ, Sport Master, shorty Sport Master Bravo One XR	621	11602100	PRE-11602100	\$00.00
	OMC®: (15 spline shaft) Note: SX drives, see Volvo Penta SX listing below. Cobra 800: 3.0 to 7.5L / King Cobra: 454, 502, 7.4-8.2L ('90+) / Sea Drive: 2.0 to 4.0L	502	11500200	PRE-11500200	\$00.00
	SUZUKI®: (15 spline shaft)	507	11500700	PRE-11500700	\$00.00
ı	Note: Use 707 Super Duty Kit for 200+hp Engines w/ SS Props. DT 2 stroke: 150hp to 225hp	707	11700700	PRE-11700700	\$00.00
ł	SUZUKI®: (15 spline shaft)	507	11500700	PRE-11500700	\$00.00
	Note: Use 707 Super Duty Kit for 200+hp Engines w/ SS Props. (use Express Mach3 OS series props only) DF 4 stroke: 150 to 300hp	707	11700700	PRE-11700700	\$00.00
ı	TOHATSU®: (15 spline shaft)	508	11500800	PRE-11500800	\$00.00
ı	Note: Use 708 Super Duty Kit for 200+hp Engines w/ SS Props.	708	11700800		
	BFT115, BFT150, BFT200, BFT225, BFT250	700	11700000	PRE-11700800	\$00.00
	VOLVO® PENTA® SX & OMC® SX COBRA®: (19 spline) ('94+): 3.0 to 8.2L. Not for Volvo DuoProp or Aquamatic drives.	504	11500400	PRE-11500400	\$00.00
	VOLVO® PENTA® AQ: (17 spline)(4 blade props only) 200, 250, 270, 280, 290	510	11501000	PRE-11501000	\$00.00
	YAMAHA®: (15 spline shaft) Note¹: See Installation Kit Application Guide for kit selection.	505	11500500	PRE-11500500	\$00.00
	Note ² : Use 805FT Kit with Express Mach3 OS Propellers Housings	705	11700500	PRE-11700500	\$00.00
	Note ³ : If Express Mach3 OS Prop strikes trim tab, replace with TP part #41505060.	805F	11800500	PRE-11800500	\$00.00
	Z (V 4 SHUNE 130 IO Z30HU / F300 UVO UHIV U9+1 / SIEHHUHVES 3 U IO / 41	XIISEL	11200510	DDE 11000E10	ድበበ በበ

V4 with V6	large gearcase: 10	00hp comme	rcial, 120hp ('85),130hp ('95-'96),	500	44500000		
H.O. (include	s E-TEC H.O.): (25" s	shaft) 90, 115,	hp / 135, 150, 200, 225, 250hp C G2): 90hp (25" shaft), 115hp	n	502	11500200	PRE-11500200	\$00.00
130hp (109-11	(U), 135hp to 300hp	/ V6: 135hp	to 250hp / V8: 250hp to 3	0, 00hp				
EVINRUD Note: Use 7	E [®] E-TEC [®] G2	™: (15 spli for 2004ho F	ne shaft) Engines w/ SS Props.		511	11501100	PRE-11501100	\$00.00
G2 Series C)nly: 140hp w/ larç		150 H.O. to 300hp		711	11701100	PRE-11701100	\$00.00
Note: Use 7	(15 spline shaft) 08 Super Duty Kit 1	for 200+hp E	Engines w/ SS Props.		508	11500800	PRE-11500800	\$00.00
	1+), BF135 ('Ó4+), +), BF250 ('12+)	BF 100 (U44	-), BF200 (UZ+),		708	11700800	PRE-11700800	\$00.00
JOHNSON	N®: (use Express l	Mach3 OS se	e <mark>ries props only)</mark> 4 stroke: 20	00-225hp	707	11700700	PRE-11700700	\$00.00
MERCUR	Y® & MARINE	R ®: (15 spli	ne shaft)		501	11500100	PRE-11500100	\$00.00
Note: See I ProXS 1150	nstaliation Kit App CT / FourStroke™ 8	Dication Gui & SeaPro™·	de for best kit selection. 90CT, 115CT, 150hp, 200 t	to 300	701	11700100	PRE-11700100	\$00.00
V6: 135 to 30	00hp / Verado 135 t	to 300hp(not	HD) / OptiMax: 150, 200, 25		801F	11800100	PRE-11800100	\$00.00
MERCUR Decigned for	Y®: (19 spline sha	aft) A 1 OF" prop	obott UD F OF F 447 goo	r000001				
Pro XS 175	-250hp w/ Torque	Master geal	shaft - HD 5.25-5.44" gea rcase asser I & II (Torque Master G	rcases:	621	11602100	PRE-11602100	\$00.00
fit 200XS, 22	25X, 2.5 EFI, 225 P	ro X, 250XS	, 300X), Fleet Master					
MERCRU Note ¹ : Use 7	ISER®: (15 splin 701 Suner Duty Kit	e shaft) Alpl	na One and Bravo One ('83 Bravo One Drives w/ SS Pr	ons. For all	501	11500100	PRE-11500100	\$00.00
other applic	ations use 501 kit	w/ stainless	steel or aluminum props. with Mercury part #82277		701	11700100	PRE-11700100	\$00.00
MERCRU	ISER®: (19 splin	e shaft)						
Designed fo Bravo One X	r HD (Heavey Duty (R/XZ, Sport Maste	r) 1.25" prop r, shorty Spo	shaft - HD 5.25-5.44" gea rt Master Bravo One XR	rcases:	621	11602100	PRE-11602100	\$00.00
OMC®: (1	5 spline shaft) Not	e: SX drives	, see Volvo Penta SX listin	g below.	F00	11500000		
Cobra 800: Sea Drive: 2		Cobra: 454	, 502, 7.4-8.2L ('90+) /		502	11500200	PRE-11500200	\$00.00
SUZUKI®	: (15 spline shaft)				507	11500700	PRE-11500700	\$00.00
	107 Super Duty Kit : 150hp to 225hp	for 200+hp	Engines w/ SS Props.		707	11700700	PRE-11700700	\$00.00
SUZUKI®:	: (15 spline shaft)				507	11500700	PRE-11500700	\$00.00
Note: Use 7	07 Super Duty Kit Mach3 OS series r	for 200+hp rons only) D	Engines w/ SS Props. F 4 stroke: 150 to 300hp		707	11700700	PRE-11700700	\$00.00
TOHATSU	J®: (15 spline shaf	t)	·		508	11500800	PRE-11500800	\$00.00
Note: Use 7 BFT115, BF	108 Super Duty Kit 17150, BFT200, BF	t or 200+hp T225, BFT2	Engines w/ SS Props.		708	11700800	PRE-11700800	\$00.00
VOLVO®	, ,	OMC® SX	COBRA®: (19 spline)		504	11500400	PRE-11500400	\$00.00
				,280,290	510	11501000	PRE-11501000	\$00.00
	VOLVO® PENTA® AQ: (17 spline)(4 blade props only) 200, 250, 270, 280, 290 YAMAHA®: (15 spline shaft)						PRE-11500500	\$00.00
Note1: See I	YAMAHA®: (15 spline shaft) Note¹: See Installation Kit Application Guide for kit selection. Note²: Use 805FT Kit with Express Mach3 OS Propellers Housings				505 705	11500500 11700500	PRE-11700500	\$00.00
Note ³ : If Exp	Note ³ : If Express Mach3 OS Prop strikes trim tab, replace with TP part #41505060 . 2 & 4 stroke: 150 to 250hp / F300 (V6 only '09+) / Sterndrives 3.0 to 7.4L						PRE-11800500	\$00.00
2 & 4 stroke							PRE-11800510	\$00.00
YAMAHA	®: (use Express M	lach3 OS se	ries props only) F350		715	11701500	PRE-11701500	\$00.00
ICATION GL	IIDE Kit	Prop	Engine	200-300		90CT-175hp	90CT-300+hp	Warranty
ioniiioir ut	001100	Shaft	Brands	4.75"+ GC S	os Props			
	500	1.00"	various			0		Lifetime

					_		
	_						
(Hus	TI FR°			EXP	MACH3		
ALU	MINUM PROPELLERS			STAINLESS	STEEL PROPELLERS		
	Dia x Pitch	MFG. Part #	Order #		Dia x Pitch	MFG. Part #	Order #
	15.25 x 15	a 21501511	PRE-21501511		14.25 x 17	6 31501712	PRE-31501712
	14.25 x 17	@ 21501711	PRE-21501711		14.25 x 17	5 31501722	PRE-31501722
	14.25 x 19	@ 21501911	PRE-21501911		14.25 x 19	GE 31501912	PRE-31501912
	14.25 x 21	@ 21502111	PRE-21502111		14.25 x 19	31501922	PRE-31501922
	14.25 x 23	@ 21502311	PRE-21502311		14.25 x 21	GH 31502112	PRE-31502112
ALUMINUM				STAINLESS STEEL	14.25 x 21	31502122	PRE-31502122
3 BLADE				3 BLADE	14.25 x 23	@ 31502311	PRE-31502311
Model: LE				Model: EX	14.25 x 23	5 31502321	PRE-31502321
		LIST \$000.00				LIST \$000.00	



EXPRESS 05

WARNING: Hustler Aluminum Propeller Housing Warning: This product can expose you to chemicals including carbon, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.



١		YAIVIAHA®: (USE E	TAINIAMA®: (use express machs us series props only) F350			710 11701000 PRE-11701500 \$0 0				
	Churchen	INSTALLATION KIT APPLICATION GUIDE	Kit Series	Prop Shaft	Engine Brands	200-300+hp 4.75"+ GC SS Props	90CT-175hp 4.75" GC SS Props	90CT-300+hp 4.75" GC AL Props	Warranty	
	Mast	erGuard (for typical use applications)	500	1.00"	various		0	Ø	Lifetime	
	Mast	erTorq Fat Shaft Hub (for Mercury engines with big prop shafts)	621	1.25"	Mercury®	0	②	0	1 year	
	Mast	erGuard Super Duty (for heavy duty extreme load applications)	700	1.00"	various	0			Lifetime	
	Mast	erTorq Sound Dapening Hub (for noisy lower units - quieter ride)	800	1.00"	Yamaha® & Mercury®	0	②		1 year	
	Λ	WARNING: MasterGuard & MasterTorq Installation Kits Warning: This Co	mpatible	Gearcase	(GC) Prop Family Symbol					
		product can expose you to chemicals including lead and lead compounds, which are known to the State of California to cause cancer and birth defects or		Alu	minum (AL) Prop Brands	-	-	Hustler		
		other reproductive harm. For more information go to www.P65Warnings.ca.gov.		Stainles	ss Steel (SS) Prop Brands	Express: Mach3.	Mach3 OS, Mach4	_		